Philosophical Transactions

Please note: Due to an error in the print volume, the page numbering in this article may contain either page numbering skips, or page numbering repetitions, or both. However, the article content is presented in its entirety and in correct reading order.

Please click on "Next Page" (at the top of the screen) to begin viewing the article.

V. *An Account of a Book, Entituled,*

HOrtus *Medicus Amſtelodamenſis*, ſive Plantarum tam *Orientalis* quam *Occidentalis Indiæ* aliarumque peregrinarum *Deſcriptio & Icones.* Autore *Joanne Commelino* Urbis *Amſtelod.* (dum viverit) Senatore. Et latinitate donatum, Notis & Obſervationibus illuſtratum a *Frederico Ruyſchio*, M. D. Botar. Profeſſ. &c. & *Franciſco Kiggelario*, Amſt. 1697. Fol. And to be ſold by *S. Smith*, and *B. Walford*, in St. *Paul*'s Church-Yard. With many additional Remarks by *I.P. Fellow of the Royal Society.*

This Work is none of the leaſt *Specimens* of Modern Magnificence and Improvement in the Hiſtory of Nature, which though ſhe opens daily ſuch Mines and Treaſures, yet is never like to be exhauſted. The *Art* of *Calcography* has given to theſe Studies a new ſort of Life and Perſpicuity; the Beauty and Graces whereof, have drawn many Illuſtrious Perſons abroad, into a kind of Emulation who ſhould excel in this Noble and moſt uſeful Ornament: What the *Engliſh* want in this Part, they have made up in their Critical Methods in their Diſcoveries of *Non Deſcript Species*, and in their judicious References to the Synonimous Names of various Writers, whereby the terrible Vices of Confuſion and Multiplicity have been very much corrected. For this I need name no more than a *Worthy Member of the Royal Society*, who has been pleas'd to ſhew ſuch an admirable Skill and Talent this Way, as will hardly be match'd either in paſt, preſent, or future Ages.

The *Authors* of this Garden have here *deſcribed* and elegantly *Figured* above a Hundred ſeveral Plants, which take in order, with the Illuſtrations of many additional *Synonima*, not mentioned by the *Curious Publiſhers.*

1. Ranunculus *Æthiopicus* foliis rigidis, floribus ex luteo vireſcentibus *H. Amſt.* p. 1. Tab. 1. perelegans *D. Franqueville*, foliis aculeatis *Lob. illuſt.* 135. Imperatoria Ranunculoides *Africana* enneaphyllos, Laſerpitii lobatis foliis rigidis margine ſpinoſis *Pluk.* Tab. 95. Fig. 2. Sphondilii Panacis rigido hirtoq; folio Planta *Africana*, cauſtica *P. B. P.* Umbellifera urens Capitis bonæ ſpei *Alm. Bot.* 198.

2. Alcea Carpini folio *Americana* fruteſcens, floſculis luteis ſemine duplici roſtro donato *H. Amſt.* p. 3. Tab. 2. *Viginiana* Carpini folio floſculis minimis luteis ſemine duplici roſtro ſ. aculeo predito *H. Ox.* 528. S. v. Tab. 35. Fig. ult. Althea *Virg.*

bidens Pimpinellæ majoris acutiore folio, floſculis minimis luteis *Pluk.* Tab. 9. Fig. 6.

3. Chryſanthemum *Americanum* caule alato, flore aphyllo globoſo Aurantio foliis Baccharidis *H. Amſt.* p. 5. Tab. 3. cannabinum *Americanum* alatum fl. aphyllo globoſo aurantio Baccharidis foliis *Brey* pr. 2. *Ameri.* bidens alatum fl. parvo aurantiaco *Pluk.* Tab. 84. Fig. 3. Conyzoides caule alato *Curaſſavicum P. B. P.* Conyz. Curaſſ. Abrotani fem. flore aurantio *ejuſd. Sl. Cat. Plant. Jam.* 126.

4. Portulaca *Americana* latifolia erecta, floribus albis *H. Amſt.* p. 7. Tab. 4. & *P. B. P.* affinis *Amer.* tricapſularis erecta fl. albo, pediculis anguloſis *Pluk.* Tab. 105. Fig. 6.

5. Portulaca *Curaſſavica* anguſto longo lucidoque folio procumbens, floribus rubris *H. Amſt.* p. 9. Tab. 5. & *P. B. P. Alm. Bot.* 303. Amer. procumbens longo levique folio glauco, flore pulpureo pulchro Anagallidis *Breyn.* Prod. 2.

6. Blattaria *Zeylanica* flore amplo miniato *Cat. H. Amſt.* Ceyl. fl. amplo coccineo *H. Ejuſd.* p. 11. Tab. 6.

7. Linaria *Luſitanica* procumbens polygoni folio, fl. pallido ceruleo rictu. luteo *H. Amſt.* p. 13. Tab. 7. & *Cat. ejuſd.*

8. Convolvulus *Americanus* piloſus, fl. luteo, umbone purpureo *H. Amſt.* p. 15. Tab. 8. *Africanus*, ſive *Guineenſis* pumilis Sagittæ foliis fl. campanulato obſoleti luteo fundo purpuraſcente *H. Beam.*

9. Ricinus *Americanus* perennis, floribus purpureis, ſtaphid. agriæ foliis *H. Amſt.* p. 17. Tab. 9. *Indicus* piloſus trifidus vel quinquifidus floſculis atro purpureis in umbella aggregatis *Pluk.* Tab. 56. Fig. 2. *Braſilianus* perennis fl. purp. fol. Staph. nonnihil ſimili *P. B. P.* Amer. fol. Staphiſagriæ *C. B.* 432, & 518. minor Staph. fol. fl. pentap. purpureo *Sl. Cat. Plant. Jam.* 41. *Wild Caſſada* Jamaicenſibus.

10. Ricinus Tithymalodes *Americanus* lacteſcens & urens floribus albis *H. Amſt.* & *P. B. P.* lacteſcens Fici foliis ſpinulis mordacibus armatis *Pluk.* Tab. 220. Fig. 3. Frutex innominatus pungens & urens *Marcgr.* p. 79. Fig. *Brancamos* Luſit.

11. Euphorbium Cerei effigie caulibus craſſioribus ſpinis validioribus armatum *Breyn.* pr. 2.

12. Euphorbium antiquorum verum *H. Amſt.* p. 23. Fig. 12. Tithymalus *Indicus* Spinoſus & anguloſus lacte turgens acri *H. Beam.* T. aizoides triangularis nodoſus & ſpinoſus lacte turgens acri *Alm. Bot.* 370. *Schadida Calli* H. Mal. V. 2. Tab. 42. p. *Pada Nivuli* Bram. *Sidera Calli Zeyl. Ray H. Pl.* 878. 13. Ti-

13. Tithymalus *Indicus* arboreſcens ſpinoſus, Nerii folio *H. Amſt.* p. 25. Tab. 13. Zeylanicus ſpinoſus arboreſcens *P. B. P.* & Append. *Pluk.* Tab. 230. Fig. 4. Euphorbio & Tithymal. media affinis aizoides indica arb. ſpinoſa Nerii folio *Breyn.* Pr. 2. *Ela-calli* H. Mal. V. 2. Tab. 43. p. 83. *Nivuli* Bram. *Raii H. Pl.* 1888.

14. Tithymalus *Indicus* fruteſcens *H. Amſt.* p. 27. Tab. 14. & *Raii H.Pl.* 1710. ramoſiſſimus fruteſcens penè aphyllus *P.B.P.* aboreſcens caule aphyllo *Pluk. Tab.* 319. Fig. 6. aphyllus Planta Mauritanica *Imperati* 664. Fig. *Tiru-calli*, H. Mal. V. 2. Tab. 44. p. 85. *Portigalli vivuli* Bram.

15. Tithymalus Arboreus *Americanus* Cotini folio *H. Amſt.* p. 29. Tab. 15. & *Cat. Ejuſd.* Curaſſavicus folio Cotini Maſſinilia Sylveſtris *P. B. P.* Curaſſ. fol. Cotini triphyllos petalis floſculorum ſerratis *Alm. Bot.* 369. *Pluk.* Tab. 230. Fig. 3. Sirinamenſis arboreſcens Cotini ſ. Coccigriæ foliis & facie *Breyn.* Pr. 2.

16. Tithymalus *Curaſſavicus* Myrtifolius, flore papilionaceo coccineo parvo *H. Amſt.* p. 31. Tab. 16. & *P. B. P. Pluk.* Tab. 230. Fig. 2. T. vel T. affinis ſ. ſimilis aphyllus dictus, major indicus latifolius fl. Sanguineo aviculæ capitulum repreſentante *Breyn.* Pr. 2. T. ſimilis fruteſcens Amer. Myrtifolius fl. difformi rubicundo *Cat. H. Amſt.*

17. Planta lactaria Africana *H. Amſt.* p. 33. Tab. 17. Tithymali fortè genus Planta lactaria *Africana* Pini fructuum facie *Breyn.* Pr. 2. an T. Æthiop. aphyllos verrucoſus rad. tuberoſa *H. Amſt.*

18. Alcea *Bengalenſis* ſpinoſiſſima Acetoſæ ſapore, fl. luteo pallido umbone purpuraſcente *H. Amſt.* p. 35. Tab. 18. ſpin. *Madraſpatana* foliis profunde laciniatis Cannabis in modum pentaphyllea ſaporis acidi *Pluk.* Tab. 5. Fig. 4. Indica ſpinoſa magno flore ex albido flaveſcente *Com. in H. Mal.* A. Acetoſa Indica ſpinoſa, foliis profunde laciniatis flore ſubluteo amplo *Breyn.* Pr. 2. Althea indica ſpinoſa Acetoſæ ſapore fl. flavo pendente *P. B. P.* Zeylan. foliis aſperis profunde laciniatis foliorum Cannabis inſtar ſaporis acidi *H. Leyd.* p. 27. Acetoſa indica *Bontii* p. 113. Fig. *Narinam-pulli* H. Mal. V. 6. Tab. 44. p. 75. *Ambetti* Brach. *Fula Gafinhola* Luſit. *Krabben doorn* Belg. *Nelta* Hen. van Rheede. *Raii H. Pl.* 1901.

19. Alcea *Americana* annua fl. albo maximo, fructu maximo pyramidali ſulcato *H. Amſt.* p. 37. Tab. 19. annua Sirina-

menſis fl. amplo, fr. max. ſulcato, ſtriato pyramidali *Cat. H. Amſt.* Braſilianum fr. max. pyram. ſulcato *Alm. Bot.* max. Malvæ Roſeæ fol. fr. decagon. recto craſſiore breviore eſculento *Sl. Cat. Pl. Jam.* 98. *Ochroa*, *Okkoro*, & *Kinkanbau* Surinam. & *Okra* Jamaicenſibus dicitur.

20. Ciſtus Ledon flore maculâ nigricante notato *H. Amſt.* p. 39. Tab. 20. *I. B.* V. 2. L. 13. p. 8. Fig. *Chabr.* 97. C. Led. Lauri nis foliis anguſtioribus fl. albo, unguiculis petalorum purpureis *Alm. Bot.* 101. Ladanifera Hiſpanica incana *CB.* 467. *Ray H. Pl.* 1009.

21. Oxys bulboſa Africana rotundifolia, caulibus & floribus purpureis amplis *H. Amſt.* p. 41. Tab. 21. an bulb. Afr. rotund. fl. purp. amplo *Breyn.* Pr. 2 ? affinis Planta bulboſa Afric. fl. purp. magno *Ejuſd.* Cent. c. 46. p. 102. Fig. Afr. fl. purp. magno rad. bulboſa *H. Leyd.*

22. Oxys bulboſa *Æthiopica* minor fol. cordato fl. ex albido purpuraſcente *H. Amſt.* p. 43. Tab. 22. an Afric. fol. & flore parvo albente rad. Aſphoeli *P. B. P.* Trifol. bulboſum fl. albo *Promont. bonæ ſpei* Bod. a Stapel in Theophr. 336.

23. Nerium latifol. *Indicum* fl. variegato odorato pleno *H. Amſt.* p. 45. Tab. 25. & H. Leyd. *Ind.* fl. rubeſcente pleno *Breyn.* Pr. 2. Ind. Latifol. fl. rubro & aliquando variegato pleno *H. Beam. Fula meſtica* Zeylonenſ.

24. Flos Clitorius Fl. ceruleo pleno. Phaſeolus *Indicus* Glycyrrhizæ foliis fl. amplo cæruleo pleno. *H. Amſt.* 47. Tab. 24.

25. Phaſeolus minimus perennis *Americanus* fl. luteo, foliis Aſari lanuginoſis ſolitariis *H. Amſt.* p. 49. Fig. 25. & *Breyn. Prod.* 2. unifolius *Occidentalis* Aſari venoſo folio diſpermos *Pluk.* Tab. 105. Fig. 1. Orobus *Americanus Aſari* folio ſingulari *P. B. Pr.*

26. Senna ſpuria Occident. odore Opii viroſo, fol. mucronatis glabris *H. Amſt.* p. 51. & *H. Leyd. Sl. Cat. Plant. Jam.* 148. Orobus *Braſilienſis* fl. luteo *Pajomirioba* Marcgr. *Raii H. Pl.* 912.

27. Chamæcriſta Pavonis major *H. Amſt.* p. 53. Fig. 27.

28 Æſchynomene ſpinoſa latifolia ſive Herba viva vel Mimoſa latifolia piloſo & ſubrotundo folio *H. Amſt.* p. 55. T. 28.

29. Æſchynomene fl. globoſo albido ſiliculis articulatis echinatis *H. Amſt.* p. 57. Fig. 29. an Mimoſa ſpinoſa 3. ſive foliolis Acaciæ anguſtioribus ſiliquis parvis echinatis *Breyn. Cent.* p. 40. c. 18. Fig ?

30. Æſchynomene ſpinoſa 5, ſive foliolis Acaciæ latioribus fron-

frondibus aculeos longiſſimos habentibus *H. Amſt.* p. 59. Fig. 30. & *Breyn. Cent.* c. 20. p. 44. Fig.

31. Æſchynomene mitis 1. *H. Amſt.* p. 61. Fig. 31. Wilde Dryve bonen *Curaſs.*

32. Tribulus terreſtris Americanus Chamæciſti flore, fructu ſpinoſo maximo *H. Amſt.* p. 63. Fig. 32. & *Breyn. Pr.* 2. ter. *Amer.* Argemones fl. flavo *Pluk.* Tab. 67. Fig. 4. ter. major *Curaſſavicus* P. B. Pr. *an.* ter. maj. fl. max. odorato *Sl. Cat. Plant. Jam.* 90?

33. Orleana ſive Orellana folliculis lappaceis *H. Amſt.* p. 65. Fig. 33. & *H. Leyd. Pluk.* Tab. 209. Fig. 4. *Sl. Cat. Plant. Jam.* 150. *Raii H. Pl.* 1771.

34. Phalangium *Æthiopicum* ramoſum floribus albis petalis reflexis *H. Amſt.* p. 67. Fig. 34.

35. Lilium *Zeylanicum* ſuperbum *H. Amſt.* p. 69. Fig. 35. Mendoni *H. Mal* V. 7. Tab. 57. p. 107. Methonica *Malab.* Nienghala *Zeylan.* Pluk. *Tab.* 116. Fig. 3.

36. Lilio-Narciſſus *Africanus* platicaulis humilis flore purpuraſcente odorato *H. Amſt.* p. 71. Fig. 36. *an* Narciſſus major *Indicus* ſerotinus *Cornuti.* c. 57. p. 155?

37. Lilio-Narciſſus *Ceylanicus* latifolius flore niveo, externe lineâ purpureâ ſtriata *H. Amſt.* p. 73. Fig. 37. maximus *Zeyl.* floribus albis umbellatis *Alm. Bot.* 219. Lilium *Zeyl.* umbelliferum floribus albis *H. Leyd.* Tolabo *Zeylan.* Belutta pola-taly *H. Mal.* V. 11. Tab. 38. p. 75.

38. Narciſſus *Ceylanicus* fl. albo hexagono odorato *H. Amſt.* p. 75. Fig. 38. & *H. Leyd.* Lilio-Narciſſus *Indicus* fl. albo hexagono *Alm. Bot.* 220. Lunula *Zeyl.* Catulli pola *H. Mal.* V. 11. Tab. 40. p. 79.

39. Narciſſus *Amboinenſis* folio latiſſimo rotundo, floribus niveis inodoris *H. Amſt.* p. 77. Fig. 39. an Allium *Amboinenſe* folio rotundo ſ. Cepa ſylv. *Amboinenſis* Rumphii *P. B. P?*

40. Gratiolæ affinis fruteſcens *Americana* foliis Agerati ſ. Veronicæ erectæ majoris *H. Amſt.* p. 79. Fig. 40. & *Breyn. Pr.* 2. Capraria *Curaſſavica* Cabiritta *vulgo.* P. B. P. Lyſimachiæ purpureæ affinis *Americana* procumbens Anonidis vernæ fruteſcentis foliis ſingulari glabro *Pluk.* Tab. 98. Fig. 4. West India Thea. *Sl. Cat. Plant. Jam.* 90.

41. Gladiolo Æthiopico ſimilis, Planta anguſtifolia caule hirſuto, fl. rubicundiſſimo *H. Amſt. p.* 81. Fig. 41.

42. Siſynrichium *Æthiopicum* majus latifolium, fl. albis hexapetalis

apetalis lineis purpureis ſtriatis *H. Amſt.* p. 83. Fig. 42.

43. Siſynrichium *Æthiopicum* majus anguſtifolium fl. albis *H. Amſt.* p. 84. Fig. 43.

44. Siſynrichium *Æthiopicum* minus. latifolium fl. hexapetalo albo *H. Amſt.* p. 84. Fig. 44.

45. Amaranthus globoſus *Malabaricus* flore purpureo. affinis *Indiæ Orientalis* fl. glomeratis Ocymoidis folio *Breyn. Cent.* 1. p. 109. cap. 51 Fig. & *H. Amſt.* p. 85. Fig. 45. Amaranthoides *Indicum* monoſpermum, foliis Ocymaſtri capitulis purpureis *P. B. P.* Gnaphalio affinis Ocymaſtri folio, flore ex purpureo violaceo *H. Boſ.* & *Leyd.* Wadapou *H. Mal.* V. 10. Tab. 37. p. 73. Gondo *Bram.* Wadambu *Zeyl.* Fulo Buton *Malaiis.*

46. Polygala arborea Myrtifolia *Cap. Bonæ Spei,* fl. albis intus purpureis *H. Amſt.* p. 87. Fig. 46.

47. Angelica arboreſcens ſpinoſa ſ. Arbor Indica Fraxini folio, cortice ſpinoſo *Raii H. Pl.* 1798. Chriſtophoriana arbor aculeata Virginienſis Pluk. Tab. 20. Fig. 1. Arbor Spinoſa Fraxini Foliis *Virginiana* D. Morgan *Alm. Bot.* 98. & *H. Amſt.* p. 89. Fig. 47.

48. Aloe Succotrina anguſtifolia ſpinoſa fl. purpureo *Breyn.* Pr. 2. & *H. Amſt.* p. 91. Fig. 48. Americana Ananæ foliis flor. ſuaverubentibus, ex *Codice Bentingiano* Pluk. Tab. 140. Fig. 4. Indiæ Orientalis ſerrata ſ. Succotrina vera fl. phæniceis *H. Beam.* an A. *Amer.* ſerrata fl. coccineis *P. B. Pr?*

49. Aloe arboreſcens *Africana* H. Beam. & H. Amſt. p. 93. Fig. 49.

50. Arum *Æthiopicum* fl. albo odorato *H. Amſt.* p. 95. Fig. 50. Æth. fl. albo odorato, Moſchum redolente *H. Leyd.* Afr. fl. albo odorato *P. B. P.*

51. Arum humile *Ceylanicum* latifolium, piſtillo coccineo *H. Amſt.* p. 97. Fig. 51.

52. Arum polyphyllum *Ceylanicum*, caule ſcabro, viridi diluto, maculis albicantibus notato *H. Amſt.* p. 99. Fig 52. A. polyphyllum Dracunculus & ſerpentaria dictum *Ceylonicum* caule glabro viridi diluto, maculis albicantibus notatis, majus & clarius *Cat. H. Amſt.* Schæna *H. Mal.* V. 11. Tab. 18. p. 35.

53. Arum *Ceylanicum*, polyphyllum, caule aſpero, maculis viridi fuſcis, viridi dilutis & albicantibus pulchre notato *H. Amſt.* p. 101. Fig. 53. A. Polyphyllum Dracunculus & ſerpentaria dictum *Ceylonicum* caule aſpero cum maculis viridi fuſcis & viridi dilutis albicantibus pulchre notatum, majus & elatius Cat. *H. Amſt.*

H. Amſt. an A. polyph. Dracont. & Serpent. dictum folio ramoſo Pæoniæ inſtar caule aſpero *Zeylanicum* P. B. Pr.

54. Balſamina Cucumerina *Indica* fructu majore flaveſcente *H. Amſt.* p. 103. Fig. 54. B. Cuc. *Ceylanica* fructu flaveſcente *Cat. Hort. ejuſd.* Cucumis puniceus *Indicus* major *P. B. Pr.* pun. *Zeylanic. H. Leyd.* major ſeminibus alb. *H. Leyd.* app. 663 pun. *Indic.* fr. majore ex flavo rubente *Com. Not.* in H. Mal. Momordica *Ceyl.* fr. Pyriformi majore ex flavo rubente ſem. albis *H. Beam.* Pandi-Pavel *H. Mal.* V. 8. Tab. 9. p. 17. Valli carati *Bram.* Maragoſa & Folhas Margoſeira com fruita grande *Luſit.* Groot Bierblad. *Belg.* Poncleii *Benghal.*

55. Ficoides vel Ficus *Americana* ſphærica, tuberculata, lacteſcens fl. albo fructu rubro pyramidali *H. Beam.* & *H. Amſt.* p. 105. Fig. 55. F. ſ. Melocactos mamillaris glabra, ſulcis carens fructum ſuum undique fundens *Pluk.* Tab. 29. Fig. 1. Occidentale ſpinoſum minus abſque tomento *H. Leyd.* app. Echinomelocactos minor lacteſcens abſque tomento cylindris ſtrictioribus *P. B. Pr.* tuberoſus, ſ. globularis minor ex *Hort. Fagel.* Sch. Bot. 33. Opuntia Echinomelocacti effigie tuberoſa, fructu leviſſimo Amethyſtino *Breyn.* Pr. 2.

56. Ficus Indica ſ. Opuntia *Curaſſavica* minima *H. Beam.* & *H. Amſt.* p. 107. Fig. 56. F. I. minima ſpinis breviſſimis munita ex *Hort. Fagel.* Schol. Bot. 33. Opuntia *Americana* minima ſpinis creberrimis tenuiſſimis *Breyn.* Pr. 2. *an* minima Indica *H. Piſani?* Forte etiam Ficus. Ind. omnium minima, ſpinulis tenellis undique armata ex *Virginia* Alm. Bot. 147. The *Pin-pillow.*

57. Ananas *H. Amſt.* p. 109. Fig. 57. & *Sl. Jam.* 77. *Piſ.* p. 195. *Ger.* 1550. Fig. *Acoſt.* & *Linſcotti* I. B. V. 3. L. 25. p. 95. Fig. *Chabr.* 356. & 57. Fig. A. fructus *Bontii* p. 145. Anana ſ. Pina *Park.* 1626. Fig. Carduus Braſilianus foliis Aloes *CB.* 384. The *Pine-Apple.*

58. Palma Prunifera humilis non ſpinoſa *Inſulæ Hiſpaniolæ* fructu Jujubino ſimilis, officulo triangulo *H. Amſt.* p. 111. Fig. 58. an Palma *Americana* non ſpinoſa craſſis rigidiſque foliis, caudice ſcabro in caput protuberante *P. B. P?* *an* P. *Amer.* foliis Polygonati brevioribus leviter ſerratis & nonnihil ſpinoſis trunco craſſo *Breyn.* Pr. 2? & *Pluk.* Tab. 103. Fig. 2. & Tab. 309. Fig. 5?

59. Cupreſſus *Virginiana* foliis Acaciæ deciduis *Raii H. Pl.* 1408. & *H. Amſt.* p. 113. Fig. 59. *Virg.* fol. Acaciæ cornigeræ paribus & deciduis *Pluk.* Tab. 85. Fig. 6. *Virg.* foliis Abietis

mol-

mollibus atq; deciduis *Breyn.* Pr. 2. & rectiùs Abies *Virg.* foliis mollibus Mimoſæ atq; deciduis *Ejuſd.* Cup. *Virg. H. Tradeſcant.* Virg. foliis Acaciæ deciduis H. Leyd. Tlatizcan ſ. Cupreſſus *Amer.* fuſa. *Hern.* 98. (ex ſent. D. *Pluk.*) & *Raii* H. Pl. 1933. Cap. 80. Cupr. *Amer.* an Thuia *Theophr.* Cupreſſo ſimilis cujus fructus *Habbel* huic affimulatur Park. 1477. Fig.

60. Manghala Arbor *Curaſſavica* foliis ſalignis *P. B. P.* & *H. Amſt.* p. 115. Fig. 60. Frutex innominatus 2 ſ. inſtar Salicis pumilæ foliis Salignis *Marcgr.* 76. Fig. Salix *Braſilienſis* 2da. capitulifera *Johnſt. Dendr.* 446. Tab. 126. Alnus maritima Myrtifolia Coriariorum Button-wood *Bermudenſibus* vulgò *Pluk.* Tab. 240. Fig. 3. Alni fructu Laurifolia arbor maritima *Sl Cat. Plant. Jam.* 135. Alno affinis *Americana* Liguſtri folio, fructu ſpicato rubro *Breyn.* Pr. 2. & *Pluk.* Tab. 128. Fig. 2. *Jamaica* Button-Tree.

61. Nux *Zeylanica* Juglandis folio *P. B. P.* & *H. Amſt.* p. 117. Fig. 61. Domba-Geddy *Zeylan.*

62. Ficus *Bengalenſis* folio ſubrotundo, fructu orbiculato *H. Beam.* Americana latiori folio venoſo ex Curacao *Pluk.* Tab. 178. Fig. 1. an F. Indica fol. oblongo obtuſo fr. minore pallide luteo ſphærico *Sl. Cat. Plant. Jam.* 189. an F. arbor *Barbadenſium* Ligonis p. 69. Peralu *H. Mal.* V. 1. Tab. 28. p. 49. Vadhoè *Bram.* Pipal. *Benghal.* Ficus. Malabarenſis fol. craſſiuſculo, majori, fructu gemino intenſè rubente *Com.* not.

63. Gujava alba dulcis P. B. P. & H. Amſt. p. 121 Fig. 63. alba acida fr. rotundiori Indiæ Orient. Pluk. Tab. 193. Fig. 4. Guayava Ger. 1612. Fig. id. em. 1612. Fig. Park. 1634. Fig. Indica fructu mali facie *pulpa interiore alba I. B.* Var. V. 1. *L.* 1. p. 108. Fig. falſ. & *Chabr.* Var. p. 5. Fig. falſ. Guajabo pomifera Indica *pulpa candida* CB. *Var.* 437. & Guajanos in Hiſpania nova, &c. Ejuſd. 441 Pela & Pelouka *Mal.* Pera *Brach.* Guajavas *ſeu* Peera *Luſit.* Goejaves *Belg.* H. Mal. V. 3. Tab. 34. p. 31. *The large white Guava.*

64. Vitis Idea Æthiopica Myrti Tarentinæ folio, flore atro purpureo H. Amſt. p. 123. Fig. 64. an Frutex Æthiopicus baccifer foliis Myrtilli Breyn. Cent. p. 9. c. 5. Fig.

65. Vitis Idea Æthiopica Buxi-minoris folio, floribus albidis H. Amſt. p. 125. Fig. 65. an Frutex Æthiop. baccifer fol. Myrtilli alter Breyn. Cent. p. 10?

66. Amaranthus baccifer Circeæ foliis H. Amſt. p. 127. Fig. 66. bacc. Indicus minor Circeæ folio & facie H. Beam. 1.

ſemine

ſemine & facie Americana foliis Circeæ *P. B. P.* & Helitropium Curaſſavicum Scammonii foliis mollibus ſubhirſutis *Ejuſd.* Amer. majus foliis Populæ nigræ languinoſis fl. albo minimo *Breyn.* Pr. 2. & Monophyllum Amer. Circeæ foliis & facie fl. albo parvo *Ejuſd.* Pr. 2. Solanum racemoſum Americanum minus *Sl. Cat. Plant. Jam.* 85. Barbadenſe racemoſum minus tinctorium Circeæ foliis mollibus & incanis *Pluk.* Tab. 112. Fig. 2. an Seconde plante gueriſſante le mal des dents Du Tertre p. 92 ?

67. Malus Americana trifolia, fructu pomi Aurantii inſtar colorato. *Arach Simmeron.* vulgò *H. Amſt.* p. 129. Fig. 67. an Anona trifolia, flore ſtamineo, fructu Sphærico ferrugineo ſcabro minore Allii odore *Sl. Cat. Plant. Jam.* 205 ?

68. Malus *Americana* Lauroceraſi folio venenta, *Mancinello* arbor ſeu *Maſſinilia* dicta *H. Amſt.* p. 131. Fig. 68. Juglandi affinis arbor julifera lacteſcens venenata Pyrifolia, *Mancanilla* Hiſpan. dicta *Sl. Cat. Plant. Jam.* 129. *The Manchaneel Tree.*

69. Anona *H. Amſt.* p. 133. Fig. 69.

70. Malus Americana ſpinoſa, Portulacæ folio, fructu folioſo, ſemine reniformi ſplendente *Blad-appel* vulgò. *H. Amſt.* p. 135. Fig. 70.

71. Arbor Americana Cucurbitifera, folio longo mucronato, fructu oblongo *H. Amſt.* p. 137. Fig. 71. A. Cucurb. folio longo mucronato ſ. Laurino *Raii H. Pl.* 1668. Cucurbitifera arbor Americana, folio longo mucronato fructu orbiculari, granis cordiformibus pulpa nigra involutis *Pluk.* Tab. 171. Fig. 1. Laurifolia Guineenſis *CB* 461. Arbor folio Lauri fructu Cucurbitæ *l. B.* V. 1. L. 1. p. fol. Lauri ex Guinea Chabr 5. Fig. tranſpoſitâ.

72. Sebeſtena domeſtica *CB.* 446. & *H. Amſt.* p. 139. Fig. 72. Sebeſten Park. 252. Fig. Seb. Myxa ſive Myxaria Ger. 1315. Fig. id. em. 1499. Fig. Domeſtica Alp. Ægypt. 12. Fig. Myxa domeſtica ſ. Seleſten *IB.* V. 1. L. 2. p. 197. Chabr. 12. Fig. Prunus Sebeſtena *Matthioli H. Lugd.* & *Pluk.* Tab. 217. Fig. 2. *The true Sebeſten or Aſſyrian Plumb.*

73. Jujube Americana ſpinoſa, Loti arboris foliis & facie, fructu rotundo parvo dulci *H. Beaum.* & *H. Amſt.* p. 141. Fig. 73. *Leguanaria* vulgò ſeu Arbor Arabica ſpinoſa foliis & facie Loti arboris *P. B. P.* an *I.* ſ. Zizyphus Afric. mucronatis foliis ſpinâ gemellâ *Pluk.* Tab. 197. Fig. 3.

74 Prunus Javanica Atriplicis foliis *Kakouſa* Javanenſibus *H. Beaum.* & *H. Amſt.* p. 143 Fig. 74. an Elemnifera Curaſſavica arbor *P. B. P.* ? & *Pluk.* Tab. 173. Fig. 5 ?

75. Ceraſus Jamaicenſis fructu tetrapyreno *H. Amſt.* 145. Curaſſavica

raſſavica fr. tetrap. *Scinmeraka* Curaſs. *P.B.P.* & *H. Beaum. Simmerouke* Indiginis. Amer. Myrti conjugatis foliis fructu acerbo tetrapyrene *Pluk.* Tab. 157. Fig. 4. an Arbor baccifera, folio ſubrotundo, fructu ceraſino ſulcato rubro polypyreno, officulis canulatis *Sl. Cat. Plant. Jam.* 172?

76. Azadirachta Indica foliis ramoſis minoribus, fl. albo ſubcæruleo purpuraſcente majore *Breyn.* Pr. 2. & *H. Amſt.* p. 147. Fig. 76. Azedarach floribus albis ſempervirens *H Leyd.* app. Indica foliis non deciduis officulo polypyreno. *P.B.P.*

77. Terebinthus Americana polyphilla *P.B.P.* & *H. Amſt.* p. 149. Fig. 77. *Palamalatta* dictum *Pluk.* Tab. 228. Fig. 6. an major, Betulæ cortice, fructu triangulari *Sl. Cat. Plant. Jam.* 167?

78. Viburnum Americanum Urticæ foliis Lamii odore, floribus miniatis. *H. Amſt.* p. 153. Fig. 78. Amer. non ſpinoſum Meliſſæ foliis floribus coccineis P. B. P. *Pluk.* Tab. 114. Fig. 4. Amer. odoratum fol. Urticæ fl. miniatis *H. Leyd.* app. Pſeudo-viburnum Americ. Rivini 21. Periclymenum rectum Urticæ folio fl. coccineo amplo *Sl. Cat. Plant. Jam.* 164. Camara fl. rubro *Marcgr.* 5. Camara-juba Piſ. ed. 48. p. 86. Camaratinga *Ejuſd.* ed. 58. p. 176.

79. Meſpilus Americana Laurifolia, glabro fructu rubro mucilaginoſo *H. Amſt.* p. 153. Fig. 79. Calabura rubra foliis Laurinis P.B.P. & *Pluk.* Tab. 326. Fig. 5.

80. Meſpilus Americana Alni vel Coryli foliis, fructu mucaginoſo albo *H. Amſt.* p. 155. Fig. 80. Calabura alba *P.B.P.* & *Pluk.* Tab. 152 Fig. 4. & Tab. 326. Fig. 4.

81. Rhus Virginianum foliis Myrti *H. Amſt.* p. 157. Fig. 81.

82. Jaſminum Azoricum trifoliatum, flore albo odoratiſſimo *H. Amſt.* p. 159. Fig. 82. Az. fl. albo *Virid. Luſit.* Amer. trifol. odoratiſſimum fl. albo *H. Leyd.* app. an alb. trifoliatum fl. magno ex Inſula Maderenſi *Pluk.* Tab. 303. Fig. 1.

83. Lycio ſimilis frutex Indicus ſpinoſus buxi folio *Breyn.* Pr. 2. & *H. Amſt.* p. 161. Fig. 83. an Ebenus Jamaicenſis Arbuſcula Buxi foliis ſpinoſa, fl. luteo (papilionaceo ſiliquifera) *Pluk.* Tab. 89. Fig. 1? an Aſpalathus arboreus ſ. Pſeudo-Ebenus Buxifolio fl. luteo patulo, ſiliquâ latâ brevi chartaceâ, ſemen exiguum reniforme complectente *Sl. Cat. Plant. Jam.* 140?

84. Lycium Æthiopicum Pyracanthæ folio *H. Amſt.* p. 163. Fig. 84.

85. Ulmifacie arbuſcula Æthiopica ramulis alatis, floribus purpuraſcentibus *H. Beaum.* & *H. Amſt.* p. 165. Fig. 85. U. arbor Curaſſavica *P.B.P.* Ulmifolia arbor Africana baccifera floribus purpureis *Pluk.* Tab. 237. Fig. 1. Lycium Africanum non ſpinoſum Ulmi facie, floribus ſpecioſis *Alm. Bot.* 393.

86. Evo-

86. Evonymus Novi Belgii, Corni feminæ foliis *H. Amſt.* p. 167. Fig. 86. an Jujubinis foliis *Carolinienſis* fructu parvo ferè umbellato *Pluk.* Tab. 28. Fig. 6?

87. Evonymus Virginiana Ribeſii folio, capſulis eleganter bullatis *H. Amſt.* p. 169. Fig. 87. Anonymos Ribeſii foliis *Icon.* Roberti. *Raii H. Pl.* 1708: Americ. Ribeſii foliis, umbellatâ Melianthi capſulâ minore *Alm. Bot.* Spirea Opuli folio *El. Bot.* 490.

88. Guajacum Americanum Lentiſci fol. *H. Amſt.* 171. Fig. 88. fol. Lentiſci Hort. Fagel *Breyn.* Pr. 2. Amer. alterum fructu Evonyoni *Ejuſd.* Pr. 2. Jaſminum vulgò Americanum at *rectiùs* Evonymo adfinis Occidentalis alatis Ruſci foliis Nucifera, cortice ad genicula fungoſo. *Pluk.* Tab. 94. Fig. 4. *Pockhout* Belgis.

89. Arbor *Braſiliana* Myrti Laureæ foliis inodoris *H. Amſt.* p. 173. Fig. 89.

90. Arbor *Baccifera Indica*, foliis majoribus ſplendentibus flore pentapetalo *H. Amſt.* p. 175. Fig. 90.

91. Frutex *Æthiopicus* Portulacæ folio, flore ex albido virescente *H. Amſt.* p. 977. Fig. 91.

92. Rhus *Africanum* trifoliatum majus, foliis ſubtùs argenteis acutis & margine inciſis *Pluk.* Tab. 219. Fig. 6. Synonima hujus *Horti* malè adnectuntur.

93. Rhus *Afric.* trifoliatum majus, fol. ſurotundo glabro ſplendente *nob.* eſt varietas major ultimæ ſpeciei *Alm. Bot.* 319. Hic Figuratur p. 181. Cap. 93. ſub nomine *Vitidis trifoliæ Indicæ rotundifoliæ*, ſed minus rectè cum ceteris cognominibus.

94. Nux *Americana* foliis alatis bifidis *H. Beaum.* & *H. Amſt.* p. 183. Fig. 94. N. A. coſtâ foliorum appendicibus aucta *Pluk.* Tab. 207. Fig. 4. Knippa & Tackboom *P. B. P.*

95. Arbor Camphorifera *Japonica* Breyn. Cent. p. 11. & pr. 1. A. C. *Jap.* foliis Laurinis fructu parvo globoſo calyce breviſſimo *Ejuſd.* Pr. 2. & *H. Amſt.* p. 185. Fig. 95. Camphora *Park.* 1675. Officinarum *C.B.* 500. Camphorifera arbor, ex qua Camphora Officinarum *H. Leyd.*

96. Staphylodendron *Africanum* ſempervirens foliis ſplendentibus *Cat. Hort. Amſt.* & H. *Ejuſd.* p. 187. Fig. 96. Afric. folio lucido *P. B. P.* Piſtachia *Africana* ſ. Staphylodendron *Æthiopicum* Μονολασίογραλλώμενοφυλλον ſingulari hirſuto folio nitente *Pluk.* Tab. 63. Fig. & Tab. 317. Fig. 5. Arbor quædam rariſſima lucens, fructibus Halicacabi *Breyn.* Cent. p. 177. & Halicacabum arboreſcens *Ejuſd.* 180.

97. Arbor *Virginiana*, Citriæ vel Limoniæ folio Benzoinum fundens *H. Amſt.* p. 189. Fig. 97. A. *Virg.* Piſaminis folio baccata Benzoinum redolens *Pluk.* Tab. 139. Fig. 3, & 4. Arbor *Benzoinifera* Breyn. Pr. 2.

98. Styrax arbor *Virginiana* Aceris folio, potiùs Platanus *Virginiana* Styracem fundens *Ray* H. Pl. 1799. & *H. Amſt.* p. 191. ſed *Figura* & *deſcriptio* hujus *Horti* aliam plantam potiùs repreſentare videntur, nimirùm *Acerem Virg. folio majore ſubtus argenteo ſupra viridi ſplendente* Pluk. Tab. 2. Fig. 4. quæ *Acer floreſcens Virginiana* vulgò dicitur.

99. Apocyno affinis *Portoricenſis* folio Haſtæ cuſpidi ſimili *H. Amſt.* p. 193. Fig. 99. A. *Portoric.* fruticeſcens foliis craſſis haſtæ cuſpidi ſimilibus *H. Beaum.* & *Pluk.* Tab. 137. Fig. 6. Tithymalus *Portoric.* fol. craſſis haſtæ cuſpidi ſimili *P. B. P.*

100. Lau-

100. Laurifolia *Africana* H. Amſt. p. 195. Fig. 100. *Swarte-Baſt* apud *Belgas* Promontorii Bonæ ſpei.

101. Sideroxylum *Africanum* Ceraſi folio *H. Amſt.* p. 197. Fig. 101. an S. *Afr.* ſ. Lignum ferreâ duritie folio oblongo *P.B.P. Lignum ferreum* vulgo. *Ejuſd.*

102. Phyllanthos Americana planta, flores è ſingulis foliorum crenis proferens *P.B.P.* & *H. Amſt.* p. 199. Fig. 102. *H. Beaum.* Amer. anguſtiori & longiori folio ramoſa cauleſcens *Pluk.* Tab. 247. Fig. 4 Lonchitidi affinis arbor anomala folio alatoè pinnarum crenis fructifero *Sl. Cat. Plant. Jam.* 16. Hippogloſſo fortè cognata Surinamenſis foliis Oleandri ſerratis, in crenarum extremo floſculos perminutos ſanguineos gerentibus *vel forte* Hemionitidi affinis Breyn. Pr. 2. *an* H. aff. *Amer.* epiphyllanthos folio ſimpliciter pinnato Hippogloſſi æmulo, radice reptatrice lignoſa ad foliorum crenas florida *Pluk.* Tab. 36. Fig. 7 ?

103. Erythroxylum *Japonicum* non ſpinoſum Coronillæ folio *H. Amſt.* p. 201. Fig. 103. Japanſche Blom-boom *Belg.*

104. Corallinum lignum *P.B.P. Pluk.* Tab. 169. Fig. 1. ſeu erythroxylum *Americanum*, Glycyrrhizæ folio, floribus ex luteo & rubro variegatis ſiliquâ latiſſimâ *H. Amſt.* p. 203. Fig. 104. Glycirrhiza vel (ſi mavis) Glycyrrhizæ affinis arboreſcens *Americana*, floribus ex luteo & rubro variegatis folio acuminato ſiliquâ latiſſimâ *Breyn.* Pr. 2. Corallen hout *Belg.*

105. Acacia *Javanica* ſulcata, caule & foliorum cottis ſpinoſis *H. Beaum.* & *H. Amſt.* p. 205. Fig. 105. Durii ſpinge ricat *Malaiis* & *Javanenſibus.*

106. Acacia *Javanica* non ſpinoſa foliis maximis ſplendentibus *H. Amſt.* p. 207. Fig. 106. *Hort. Beaum.* & *Pluk.* Tab. 123. Fig. 3. Caduwang. *Javan.*

107. Acaciæ ſimilis ſpinis corniformibus *Mexicana* Breyn. Pr. 2. & *H. Amſt.* p. 209. Fig. 107.

108. Coral arbor Americana *H. Amſt.* p. 211. Fig. 108. Spinoſa occidentalis fructu intenſius rubente *P.B.P.* Coral arbor *Luſitanica* vulgò *Ejuſd.* Arbor Corallii *Ferrar.* flor. p. 380.

109. Draco arbor *Indica* ſiliquoſa Populi folio *Angſana* vel *Angſava* Javanica *H. Amſt.* p. 213. Fig. 109. deſcribitur in *Ephemer. German.* Ann. 13. Obſ. 37.

110. Caſſia fiſtula *Alexandrina* CB. 403. & *H. Amſt.* p. 215. Fig. 113. *Raii H. Pl.* 1746. & *Sl. Cat. Plant. Jam.* 145.

111. Caſſia fiſtula *Javanica* fl. carneo. *H. Amſt.* p. 217. Fig. 111. Indica fl. carneo *Clar. Sebaſtiani Fagerii* Breyn. Pr. 2.

112. Nux Been *Ceylanica* ſiliquâ triangulâ ſeminibus alatis *H. Leyd.* app. Balanus Myrepſica ſiliqua triangulari ſemine minore alato *Breyn.* Pr. 2. Moringa Lentiſci folio fructu magno anguloſo in quo Semina Ervi *IB.* V. 1. L. 12. p. 435. Moringo *H. Mal.* V. 6. Tab. 11. p. 19. *Luſit. Belg.* & *Acoſt.* Katu Murungha *Zeylan.* Arbor exotica Lentiſci folio *CB.* 399. Glans Unguentaria *Jonſt. Dendr.* p. 130. Tab. 43. Fig.

London: Printed for *Sam. Smith*, and *Benj. Walford*, Printers to the Royal Society, at the Princes Arms in S*t. Paul*'s Church-Yard. 1698.